

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of claims:

1-15. (Canceled)

16. (Currently amended) An article comprising:
 a polymeric substrate; and
 an electrically conductive coating disposed on at least a portion of the substrate and having a projected surface area and a topographical surface area wherein the topographical surface area is greater than the projected surface area, wherein the coating comprises at least one electrically conductive polymer that comprises at least one moiety having π -electron delocalization.

17-18. (Canceled)

19. (Currently amended) The article of claim 16 wherein the moiety comprises a monocyclic aromatic hydrocarbon, a polycyclic aromatic hydrocarbon, a 5-membered aromatic heterocyclic compound, a 6-membered aromatic heterocyclic compound, or any substituted analog of any of the foregoing.

20. (Original) The article of claim 19 wherein the moiety comprises a 5-membered aromatic heterocyclic compound selected from pyrrole or thiophene.

21. (Original) The article of claim 19 wherein the moiety comprises aniline.

22. (Canceled)

23. (Currently amended) The article of claim 16 wherein the ~~polymeric~~ coating further comprises one or more azlactone moieties.

24. (Original) The article of claim 16 wherein the electrically conductive coating is disposed on a portion of the substrate in a defined pattern.

25. (Original) The article of claim 16 wherein the electrically conductive coating provides an electrical circuit.

26. (Original) The article of claim 16 further comprising a polymeric coating comprising azlactone moieties adhered to at least a portion of the substrate.

27. (Original) The article of claim 16 wherein the polymeric substrate comprises a relaxed oriented film or a recovered elastomeric material.

28. (Currently amended) An array comprising:
an article that comprises a polymeric substrate and an electrically conductive coating disposed on at least a portion of the substrate, ~~the electrically conductive coating and~~ having a projected surface area and a topographical surface area wherein the topographical surface area is greater than the projected surface area, wherein the coating comprises at least one electrically conductive polymer that comprises at least one moiety having π -electron delocalization; and
one or more reactants affixed to the electrically conductive coating.

29. (Original) The array of claim 28 wherein at least one reactant is a polypeptide, a polynucleotide, a polysaccharide, or any combination thereof.

30. (Original) The array of claim 28 wherein the reactants are affixed to the polymeric coating to form an ordered array.

31. (Currently amended) A method of making a coated article, the method comprising:
providing a shrinkable polymeric substrate;
coating at least a portion of the polymeric substrate with a dopant;
permitting a monomer to contact the dopant, thereby forming an electrically conductive coating; and
shrinking the substrate.

32. (Canceled)

33. (Currently amended) The method of claim 31 wherein the monomer is acetylene, a polyacetylene, or a substituted analog thereof.

34. (Currently amended) The method of claim 312 wherein the monomer comprises at least one moiety having π -electron delocalization.

35. (Previously presented) The method of claim 34 wherein the moiety comprises a monocyclic aromatic hydrocarbon, a polycyclic aromatic hydrocarbon, a 5-membered aromatic heterocyclic compound, a 6-membered aromatic heterocyclic compound, or any substituted analog of any of the foregoing.

36. (currently amended) The method of claim 312 wherein the monomer is provided in a monomer solution.

37. (Original) The method of claim 36 wherein the monomer solution comprises, by weight, about 20% toluene, about 70% heptane, and about 10% 5-membered aromatic heterocyclic compound.

38. (Original) The method of claim 37 wherein the 5-membered aromatic heterocyclic compound comprises pyrrole or thiophene.

39. (Original) The method of claim 36 wherein the monomer solution comprises a vapor phase and the monomer is provided in the vapor phase.

40. (Currently amended) The method of claim 31 further ~~comprises~~ comprising affixing at least one reactant to the electrically conductive coating.

41. (Original) The method of claim 40 wherein at least one reactant comprises a polypeptide, a polynucleotide, a polysaccharide, or any combination thereof.

42. (Original) The method of claim 31 wherein the electrically conductive polymeric coating comprises at least one azlactone moiety.

43. (Original) The method of claim 31 further comprising:
applying an overcoating comprising azlactone moieties to at least a portion of the article.

44. (Original) The method of claim 43 further comprising:
affixing at least one reactant to the azlactone overcoating.
45. (withdrawn) A method of detecting an analyte in a sample, the method comprising:
providing an article comprising a shrinkable polymeric substrate and an electrically
conductive polymeric coating disposed on at least a portion of the substrate;
affixing at least one reactant to the article, the reactant selected to be capable of
forming a detectable interaction with the analyte;
contacting a sample including the analyte with the article, thereby permitting the
analyte to form the detectable interaction with the reactant; and
detecting the detectable interaction.
46. (withdrawn) The method of claim 45 further comprising quantifying the amount of analyte
in the sample.
47. (New) An article comprising:
a polymeric substrate; and
a polymeric coating comprising at least one electrically conductive polymer disposed
on at least a portion of the substrate and having a projected surface area and a topographical
surface area wherein the topographical surface area is greater than the projected surface area,
wherein the electrically conductive polymer comprises acetylene, a polyacetylene, or a
substituted analog thereof.
48. (New) The article of claim 47 wherein the polymeric coating further comprises one or
more azlactone moieties.
49. (New) The article of claim 47 wherein the electrically conductive coating is disposed
on a portion of the substrate in a defined pattern.
50. (New) The article of claim 47 wherein the electrically conductive coating provides an
electrical circuit.
51. (New) The article of claim 47 further comprising a polymeric coating comprising
azlactone moieties adhered to at least a portion of the substrate.

52. (New) The article of claim 47 wherein the polymeric substrate comprises a relaxed oriented film or a recovered elastomeric material.

53. (New) An array comprising:
 an article that comprises a polymeric substrate and a polymeric coating comprising at least one electrically conductive polymer disposed on at least a portion of the substrate and having a projected surface area and a topographical surface area wherein the topographical surface area is greater than the projected surface area, wherein the electrically conductive polymer comprises acetylene, a polyacetylene, or a substituted analog thereof; and
 one or more reactants affixed to the electrically conductive coating.

54. (New) The array of claim 53 wherein at least one reactant is a polypeptide, a polynucleotide, a polysaccharide, or any combination thereof.

55. (New) The array of claim 53 wherein the reactants are affixed to the polymeric coating to form an ordered array.